



Welcome to visit us!

COPYRIGHT RESERVED BY STAR ELEVATOR GROUP
本样本册版权由明星电梯集团所有



Tel: +86-572-2112601/2112390/2112092

Fax: +86-572-2112510/2100250

Website: www.starelevatorgroup.com

Email: solution@starelevatorgroup.com

aftersales@starelevatorgroup.com

Factory And R&D Center Address

Nanxun Economic Development Zone, Huzhou City, Zhejiang, China


Nanyang Economic Development Zone, Hangzhou City, Zhejiang, China



STAR ELEVATOR GROUP

STAR elevator, a necessary part of your building!


ELEVATOR CUSTOMIZATION



www.starelevatorgroup.com

BRIEF INTRODUCTION

公司简介



Hello, we are a modernized and professional elevator & escalator group which integrates the design, development, manufacturing, sales, installation, and maintenance into a whole. We are becoming a R&D center with specialized division and cooperation for elevator & escalator.

Our main products include passenger elevator, panoramic elevator, hospital elevator, home elevator, freight elevator, car elevator, escalator and moving sidewalk/travelator. Elevator with machine room and machine roomless, speed from 0.5m/s to 10.0m/s. Escalator with VVVF drive and smart sensor control. They are applicable for residence, business buildings, factories, shopping centers, airports, bus stations and other places.

Our elevator & escalator control technology comes from Japan, the United State and Germany, it is very precise and efficient but operation is simple, it can be mastered by engineers easily. Our mechanical design technology is advanced and can be fitting to different requirements from customers.

Most of our parts suppliers are the biggest parts manufacturers in China even in the world. i.e. Our gearless motor from XIZI Forward, Blueight, KDS, Montanari, Torin; Our gear motor from XINDA, Torin; Our control system from Monarch, STEP, SMART, Blueight; Our door operator from Shenling, Ouling, Eshine, Wittur etc., all of them are the leading enterprise in elevator and escalator parts industry in the world. We believe that professional matters go to professional suppliers which is the most efficient way for modern industry.

Our international business is developing in around 50 oversea states and areas including: Middle-east area, Africa, South-east Asia, West Asia, Russia, Mongolia, Australia, Europe, North and South America. Most of elevators and escalators which had been installed are running very well.

We strive to generate long-term returns for customers by conducting our business in a profitable, responsible and transparent manner.

A lifecycle business model for the long term business model is based on a lifecycle approach. We provide customers with solutions for the entire lifetime of their elevators and escalators, starting from new equipment installation. Regular maintenance is required to keep equipment running smoothly, and once it ages, modernization is typically also needed.

Our foremost economic responsibility is to our customers. With our solutions, we bring significant added value to our customers and end users. Sustainable economic performance also brings valuable and lasting benefits to agents, distributors, employees, suppliers and communities as a whole.

大家好，我们是一家现代化的专业的电梯，自动扶梯集团公司，提供包括设计，研发，制造，销售以及安装维保等一条龙专业服务。我们逐渐形成和建立了以研发设计为核心的专业化分工的新型电梯生产方式。

我们的主要产品包括乘客电梯，观光电梯，医用电梯，汽车电梯，自动扶梯和自动人行道。广泛运用于住宅楼，办公楼，工厂，购物中心，机场，车站以及其他场所。

我们的电梯和自动扶梯的技术来源于日本、美国和德国，无论是控制系统还是机械设计，都非常精确且高效，但操作和使用十分简单，可以很容易被客户掌握。我们吸取了这些国家技术的同时也形成了特有的技术特点，更加人性化，更能满足不同客户的个性化要求。

我们使用的电梯部件基本上都是来自全国乃至世界最大的部件生产商。比如无齿轮主机来自西子富沃德，蓝光，KDS，或者蒙特纳利，通润；有齿轮主机来自欣达或者通润；我们的控制系统来自默纳克，西子，新时达或者蓝光；我们的门机来自申菱，欧菱，易升，威特等；所有这些部件公司都是电梯行业相应部件的领头羊。

我们集团在全球五十多个国家和地区开展业务。包括中东，非洲，东南亚，西亚，俄罗斯，蒙古，澳大利亚，欧洲，北美和南美地区。我们出口的电梯和自动扶梯从安装好到现在基本上都运行良好。

一个持久的良性循环的商业模式是建立在生命周期上的。从安装开始，我们提供给客户的解决方案是涵盖电梯和自动扶梯的整个生命周期的。定期的维保让设备保持一贯的平稳运行，到达一定的使用年限后，专业的改造也是必要的。

我们的首要责任是对客户负责。我们的解决方案将带给客户和最终使用者更多的附加价值的体验。持久耐用的经济性能让我们的代理商，分销商，员工，供应商以及社区都持久受益。

MANUFACTURING CENTER

制造中心

AERIAL VIEW OF OUR MAIN FACTORY
主厂房鸟瞰图



ELEVATOR AND ESCALATOR WORKSHOPS
电梯和自动扶梯车间



PRODUCT INTRODUCTION

产品介绍



PASSENGER ELEVATOR

乘客电梯

Our passenger elevators help passengers reach their floors quickly, comfortably, and safely. For tenants, they provide quiet operation, which is especially important at night. For architects, they are easy to integrate into designs and help optimize available building space. For building owners, they help reduce total lifetime costs by providing excellent maintainability and reduced energy consumption. Spacious elevator cars enable passengers and their luggage, or staff and their equipment, to travel comfortably and efficiently through the buildings.


我们的客梯帮助乘客到达地面快速，舒适，安全地。对于住户，为他们提供安静的环境，这是在夜间尤为重要。对于建筑师，他们很容易融入设计中，并帮助优化现有建筑空间。对于业主，他们帮助提供卓越的可维护性，降低能源消耗降低整体生命周期成本。宽敞的电梯轿厢使乘客和他们的行李，或工作人员和他们的设备，通过建筑舒适，高效地出行。

PANORAMIC ELEVATOR

观光电梯

Panoramic elevators are generally used in open environments, so it is vital that the flow of people into, through, and out of them is efficiently controlled. They also create a uniform aesthetic and sightseeing experience for passengers as they travel.

我们的观光电梯，引进全套德国最新控制技术，采用现代科技材料和最新加工工艺，从而在运行品质、安全功能、轿厢造型设计等方面均有完美表现。



HOSPITAL BED ELEVATOR

医用电梯

We understand that hospital elevators must provide accessible, safe, reliable, and hygienic rides in these busy environments. Our hospital bed elevators have large capacity and wide opening doors to accommodate stretchers, beds, and other medical equipment. They also provide precise leveling to allow easy access for wheelchairs and beds.

当电梯被冠以“医用”之名，则被赋予了神圣的使命。在设计时不仅要充分考虑到电梯本身的安全承载能力，还需根据现代医院的需求，提供一个更加宽敞、卫生、安静的乘坐空间，和更大的开门宽度，以便担架病床等医疗设备的随时出入。


HOME ELEVATOR

家用电梯

With our home elevator solutions, you can bring your ideal vision to life. We set the industry standard with a variety of one-of-a-kind looks and unique features with universal design. Ready to give your home a look that rises above the rest? Then it's time for a home elevator that can help take you to the next level.

Every home elevator has an innovative design to create the ultimate experience. Our home elevator undergoes rigorous testing, durable, and will be a part of your life.

我们的家用电梯解决方案，能让你的理想照进现实。我们拥有各种独特设计，各种个性化功能的家用电梯。准备好提升你家的整体风格和档次了吗？那么，是时候让我们的家用电梯来为你锦上添花了。每一台家用电梯都有不一样的创新设计，进而给乘客不一样的体验。而且，它们都是经过严格的测试，非常耐用。我们相信，如果你拥有了它，必将成为你生活的一部分。



FREIGHT ELEVATOR

载货电梯

Our freight elevator is specifically designed for the transportation of cargoes, with many wide door opening modes and spacious yet sturdy car, suitable for the transportation of large cargoes and ensuring the safety when passengers and cargoes both present in the car. Technically, advanced CPU control is applied, realizing contact free control to elevate the performance of the elevator, making it the best choice for cargo transportation in factories, warehouses and malls, etc.

我们的载货电梯专为货物运输而设计，拥有多种大幅度开门方式和宽敞坚固的轿厢，适用于大型货物的进出与运载，确保人货共载的安全；在技术上采用先进的微机控制技术，以无触点控制，提升电梯性能，现已成为各大工厂、仓库、商场等场所的最佳货运工具。



CAR ELEVATOR

汽车电梯

Our car elevator import and absorb the mature technology from Japan, the U.S.A and European countries. The advanced technology avoids shaking of elevator cabin and noise happened by the heavy loading, marks the elevator running smoothly and quietly.

我们的汽车电梯引进和吸收了来自日本，美国以及欧洲国家的成熟的电梯技术，使得电梯能有效避免因大载重引起受力不均带来的噪音和轿厢晃动的问题，从而能平稳安静地运行。

ESCALATOR

自动扶梯

Our serial escalator products apply the reliable materials and advanced technology, with the features as smooth running, lower noise, good durability, convenient and low-cost maintenance, fine and stable structure design. They are easily adaptable to fit your architectural concept. Whether it is a shopping mall, multiplex cinema, museum, shoe store or public transport facility, like a train station, square area etc.

我们的自动扶梯采用可靠的材料和先进技术制造而成，其特点是运行平稳，低噪音，坚固耐用，方便修理，保养成本低，结构稳固可靠。其与你的不同的建筑方案轻易地融为一体，不论是购物广场，复合电影院，博物馆，鞋店或者公共交通设施例如火车站，广场等。



MOVING SIDEWALK

自动人行道

Our moving walk accords with the latest domestic and international standards. It is based upon the advanced industrial technology, combines with the popular grade. It gives first priority to safety at the beginning of design. It passes the strict site testing to ensure maximum security degree. Our always provides you with the indispensably stable, durable and reliable solution plan.

依据最新出台的国内和国际标准，我们的自动人行道基于先进的工业技术，融合时尚品味，并在设计之初就将安全放在首位，通过了严格的现场测试，确保产品的最大安全性。我们所提供的稳定可靠、经久耐用的解决方案都是不可或缺的。

INTERNATIONAL CERTIFICATE AUTHORITY ORGANIZATIONS

国际权威认证机构

GERMANY TUV SUD CERTIFICATION MARK

德国TUV SUD 认证标志



Industrie Service

EUROCERT CERTIFICATE

EUROCERT 认证



THE OTHER COOPERATED INSPECTION AGENCIES

其他合作的检验机构

SGS CERTIFICATION COMPANY

SGS 认证公司



DEKRA SERVICES

DEKRA 服务



EAC/CU-TR CERTIFICATE

EAC 俄白哈三国关税联盟认证



CE CERTIFICATE

“CE” 安全认证



BUREAU VERITAS

必维国际检验集团



INTERTEK

Intertek 天祥集团



INTERNATIONAL CERTIFICATES

国际证书



PROFILE VIEWS OF DIFFERENT ELEVATOR DESIGN


不同电梯设计剖面图

UNIQUE 8+2 SAFETY DESIGNS


独特的8+2安全设计

SMALL MACHINE ROOM
PASSGERELEVATOR
小机房载客电梯

MACHINE ROOM LESS
PASSGER ELEVATOR
无机房载客电梯




- 1 Efficient traction machine
高效曳引机
- 2 Control system
控制系统
- 3 Door operator
永磁同步门机
- 4 Car
轿厢
- 5 Door
门板



Main engine brake
主机抱闸

Motor brake can precisely stop motor running to stop elevator runs in abnormal speed.
当电梯运行速度出现异常，主机抱闸立刻工作，通过刹车来停止主机运行，从而停止电梯的运行。



Overspeed governor
限速器

Overspeed governor is generally installed in machine room or on top of guide rails. If the elevator descends more than 115% of rated speed, the overspeed governor will find this emergency immediately and actuate safety gear action and stop the car, playing the role of over-speed protection.


限速器一般安装在机房或者导轨上。当电梯轿厢超过额定速度115%，限速器会立刻感应到这一突发情况，拉动安全钳夹住导轨，停止电梯轿厢。



Safety gear
安全钳

Safety gear is suitable to be installed on the two sides or bottom of the lower beam. When the car descends at excessive speed, following the actuation of the speed governor, the speed governing wire rope will lift the rocker arm and enable the safety gear clamping the guide rails and stop the car to protect people inside.


安全钳一般是安装在轿底下梁的两侧或者底部。当电梯轿厢超速下降（从而引起限速器作用于钢丝绳，进而安全钳联动，从而能有效地停止电梯轿厢，保护乘客。



Limit switch
限位开关

Limit switch is also called travel switch, is a popular small current main electrical appliances. Use the collision of mechanical moving parts to connect or break the control circuit, to achieve a certain control purpose. It can protect elevator running in a safe distance.

限位开关又被成为行程开关，是常用的小电流电气部件。利用生产机械运动部件的碰撞使其触头动作来实现接通或分断控制电路，达到一定的控制目的。它可以保护电梯行驶在安全距离内。



Light curtain protection
光幕保护

Light curtain safety protection device: the infrared receiver with rays is applied to form an infrared protection network outside the elevator door, which enhances the reliability of the whole elevator system as well as provides passengers with maximum security assurance.


采用红外线发生接收器，在电梯门口形成一幅红外保护网。不仅为电梯乘客提供最大限度的安全保障，而且增强了整个电梯系统的可靠性。



Overload device
超载装置


The overload device can prevent the elevator door from closing, when the load of the elevator exceeds its rated load. In the meanwhile, buzzer or display warning.

超载装置在检测到电梯实际载重超过其额定载重时，保护电梯门防止其关闭，从而阻止电梯运行，并同时蜂鸣器响起或者显示报警。



Door lock
门锁

There is the cam body set in the switching range of the door of the elevator room in the lifting pathway. The cam body used to specify the opening and closing zone of the elevator door is arranged on the side wall of the elevator door, and is combined with the mobile selection component to restrict the opening of the door of the elevator room outside the opening and closing zone of the elevator door.



具有设置在升降通路中的电梯间门的开闭区间上，用来规定电梯间门的开闭区间的凸轮体；设置在电梯间的侧壁上，在电梯间门的开闭区间之外与上述移动选择构件配合起来限制住电梯间的门打开的限制构件。

Buffer
缓冲器

Elevator buffers are designed to protect people and equipment from forces generated from an impact resulting from equipment failure or operator error. To minimize the damages of elevator accident.

电梯缓冲器设计，以保护人员和设备故障或操作失误造成的冲击产生的力。将电梯事故造成的损失最大限度地减少。



AVR (optional)
AVR稳压器（可选配置）

The power supply voltage which fluctuates greatly and fails to meet the requirements of electrical equipment is stabilized within its set value, so that all kinds of circuits or electrical equipment can work normally under rated working voltage.

将波动较大和达不到电器设备要求的电源电压稳定在它的设定值范围内，使各种电路或电器设备能在额定工作电压下正常工作。



ARD (optional)
ARD应急平层装置（可选配置）

When power failure occurs, the emergency device automatically operates, driving the elevator near the floor, so that passengers can safely walk out of the elevator.

停电时，停电应急装置自动运作，驱动电梯就近平层，使乘客安全走出电梯。



GEARLESS TRACTION MACHINE

无齿轮曳引机



蓝光主机 Bluelight Motor



WYT-H

额定电压 (Voltage): 380V
悬挂比 (Suspension): 2:1
DZE-14E制动器 (Brake): AC220V 5.4A
自重 (Weight): 780kg
最大静态载荷 (Max.Static Load): 5500kg
额定载重 (Load): 1000kg~1600kg
额定速度 (Speed): 1.0~2.5m/s



WYT-TAM

额定电压 (Voltage): 380V
悬挂比 (Suspension): 2:1
钢丝绳绕法 (Rope): 单绕(Single)
额定载重量 (Capacity): 450kg, 630kg
轿厢速度 (Speed): 0.5m/s~1.75m/s
防护等级 (Prot.Class): IP41
绝缘等级 (Ins.Class): F



WYT-U

额定电压 (Voltage): 380V
悬挂比 (Suspension): 2:1
DZE-14E制动器 (Brake): DC110V 3.2A
自重 (Weight): 418kg
最大静态载荷 (Max.Static Load): 3000kg
额定载重 (Load): 630kg~1150kg
额定速度 (Speed): 0.5~2.0m/s



WYT-T

额定电压 (Voltage): 380V
悬挂比 (Suspension): 2:1
制动器电压 (Brake Voltage): DC110V/DC220V
额定载重量 (Capacity): 450kg~1150kg
轿厢速度 (Speed): 0.5m/s~2.0m/s
防护等级 (Prot.Class): IP41
绝缘等级 (Ins.Class): F

通润主机 Torin Motor



GTS

额定电压 (Voltage): 380V
悬挂比 (Suspension): 2:1
DZE-14E制动器 (Brake): AC220V 5.4A
自重 (Weight): 780kg
最大静态载荷 (Max.Static Load): 5500kg
额定载重 (Load): 1000kg~1600kg
额定速度 (Speed): 1.0~2.5m/s



GTW2

额定电压 (Voltage): 380V
悬挂比 (Suspension): 2:1
DZE-14E制动器 (Brake): DC110V 3.2A
自重 (Weight): 418kg
最大静态载荷 (Max.Static Load): 3000kg
额定载重 (Load): 630kg~1150kg
额定速度 (Speed): 0.5~2.0m/s



GTW3


额定电压 (Voltage): 380V
悬挂比 (Suspension): 2:1
PZD-140制动器 (Brake): DC110V 0.69A/SET
自重 (Weight): 418kg
最大静态载荷 (Max.Static Load): 3000kg
额定载重 (Load): 630kg~1150kg
额定速度 (Speed): 0.5~2.0m/s



GTN1


额定电压 (Voltage): 380V
悬挂比 (Suspension): 2:1
PZD-140制动器 (Brake): DC110V 0.69A/SET
自重 (Weight): 790kg
最大静态载荷 (Max.Static Load): 4200kg
额定载重 (Load): 800kg~1350kg
额定速度 (Speed): 1.0~4.0m/s

西子富沃德主机 XIZI Forward Motor



GETM3.0H (630kg)

许用径向载荷 (Max.Axle Load): 3000kg
曳引机概算重量 (Motor Weight): 373kg
工作制 (Working Duty): S5-60%ED
绝缘等级 (Ins.Class): 155(F)
制动器型号及数量 (Brake type): 2只DZD1-500




GETM3.5H (800~100kg)

许用径向载荷 (Max.Axle Load): 3500kg
曳引机概算重量 (Motor Weight): 385kg
工作制 (Working Duty): S5-60%ED
绝缘等级 (Ins.Class): 155(F)
制动器型号及数量 (Brake type): 2只DZD1-500



GETM6.0H

许用径向载荷 (Max.Axle Load): 6000kg
曳引机概算重量 (Motor Weight): φ450时682kg; φ550时752~802kg; 682kg(sheave dia.φ450); 752~802kg(sheave dia.φ550)
工作制 (Working Duty): S5-60%ED
绝缘等级 (Ins.Class): 155(F)
制动器型号及数量 (Brake type): 2只DZD1-653



GETM70C

许用径向载荷 (Max.Axle Load): 7000kg
曳引机概算重量 (Motor Weight): 2:1
工作制 (Working Duty): S5-60%ED
绝缘等级 (Ins.Class): 155(F)
制动器型号及数量 (Brake type): 2只EC-4035

弗尔德主机 Furder Motor



FRD21E(320-450kg)

电源电压 (Supply Voltage): 380V/220V
曳引比 (Traction Ratio): 2:1
防护等级 (Protection Grade): IP40
梯速 (Elevator Speed): 0.4m/s
额定载重 (Rated Capacity): 320kg~450kg
制动器 (Brake): DC110V, 1.0A*2
最大轴静载 (Maximum Axial Load): 2500kg



FRD21E(630kg)

电源电压 (Supply Voltage): 380V/220V
曳引比 (Traction Ratio): 2:1
防护等级 (Protection Grade): IP40
梯速 (Elevator Speed): 0.4m/s
额定载重 (Rated Capacity): 630kg
制动器 (Brake): DC110V, 1.0A
最大轴静载 (Maximum Axial Load): 2500kg



FRD32E

电源电压 (Supply Voltage): 380V
曳引比 (Traction Ratio): 2:1
防护等级 (Protection Grade): IP40
梯速 (Elevator Speed): 0.5m/s~1.75m/s
额定载重 (Rated Capacity): 450kg~1050kg
制动器 (Brake): DC110V, 1.0A*2
最大轴静载 (Maximum Axial Load): 5000kg




FRD40A

电源电压 (Supply Voltage): 380V
曳引比 (Traction Ratio): 2:1
防护等级 (Protection Grade): IP40
梯速 (Elevator Speed): 0.5m/s~2.5m/s
额定载重 (Rated Capacity): 1150kg~1600kg
制动器 (Brake): DC110V, 1.7A*2
最大轴静载 (Maximum Axial Load): 2500kg

CONTROL SYSTEM

控制系统



Control cabinet 控制柜



Control cabinet for
machine room type elevators
有机房电梯控制柜



Control cabinet for
machine roomless type elevators
无机房电梯控制柜

1. More advanced technology

The STAR integrated elevator controller is a world-leading intelligent control system that integrates computer, automatic control, network communication, and motor vector drive technologies:

- Distance-based direct travel ride, N curves generated automatically
- Group control algorithm of less than eight elevators based on the fuzzy control theory
- Multi-CPU redundancy control and integration of advanced CANbus, Modbus, and Internet of Things communication technologies
- Built-in real-time clock, which provides time-based services, facilitating intelligent floor service management
- Flexible emergency rescue running scheme
- Automatic identification running of short floor
- Unintended car movement protection (UCMP) and braking force detection function

2. Easier use

- Integration of control and drive and compact structure, requiring only a small equipment room or even no equipment room
- Easy functional parameter design, making commissioning convenient
- Considerate keypad design, making inspection, maintenance and commissioning of the elevator easy
- Any weight that allows load cell auto-tuning
- Multiple commissioning tools, including PC host computer software, operation panel, and cell phone
- Elevator experience function: automatic detection on balance coefficient and test on slip amount

3. Safer running

- Multiple security protections, compliant with the GB7588-2003 standard
- Fault tolerant design of hardware and software; multi-class fault processing; minimization of accidents including over travel bottom terminal and over travel top terminal to ensure safe running
- Professional drive manufacturing technology and strong environmental adaptability; full resistance to power grid fluctuation, dust, high temperature, and thunder.
- Two-chip controlled running and brake, STO function

4. More comfortable riding

- No-load-cell technology or special load cell compensation device, providing nearperfect startup compensation
- High-performance vector control, achieving good motor performance and riding comfort

5. Better economy

- Integration of drive and control, which makes system configuration simpler, reduces peripheral wiring and the cost, and improves elevator safety and stability
- Use of CANbus and Modbus communication, reducing the quantity of traveling cables
- Flexible modular optional parts
- Parallel connection easily implemented using two wires, without configuring any extra group control board

1 更先进

STAR电梯一体化控制器是集计算机技术、自动控制技术、网络通讯技术、电机矢量驱动技术于一体的智能控制系统，具有国际先进水平；

- 真正以距离控制为原则的直接停靠技术，N条曲线（无段速）自动生成
- 基于模糊控制理论的8台以下电梯群控算法
- 多CPU冗余控制、集成先进的 CANbus、Modbus、物联网通讯技术
- 内置精准实时时钟，提供丰富的分时控制功能，方便实现楼宇智能管理
- 灵活的紧急救援运行方案
- 短层站自动识别运行
- UCMP、抱闸制动力检测功能

2 更易用

- 控制驱动一体，结构紧凑，方便实现小机房、无机房设计
- 傻瓜式功能参数设计，最大限度方便调试
- 贴心小键盘设计，使电梯的检验、维修、调试简单易行
- 任意重量实现称重自学习
- 支持多种调试手段：PC上位机软件、操作面板、手机调试
- 电梯体检功能：平衡系数自动检测、打滑量测试

3 更安全可靠

- 多重安全保护，紧扣GB7588 - 2003标准
- 硬件、软件的容错设计；多类别的故障处理；最大限度杜绝事故（蹲底、冲顶）发生，保证安全运行
- 专业的驱动器制造技术、强大的环境适应能力，全面对抗电网波动、粉尘、高温和雷电
- 双芯片控制运行、抱闸、STO功能

4 更舒适

- 无称重技术或专用称重补偿装置，提供了近乎完美的启动补偿
- 高性能的矢量控制，充分发挥电机性能，从而获得最佳的舒适感

5 更经济

- 真正一体化，系统更简单，大大减少了外围接线，经济易用，提高了电梯的安全性和稳定性

Monarch system



SMART system



The other control system



STEP
Optional
可选配置



BLUELIGHT
Optional
可选配置

DOOR OPERATOR SERIES

门机系列



Door operator motor
门机马达



Shenling door operator
申菱门机



JJ	600	650	700	750	800	850	900	950	1000	1050	1100	1150	1200
----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------

Ouling door operator
欧菱门机



JJ	600	650	700	750	800	850	900	950	1000	1050	1100	1150	1200
----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------

Eshine door operator
易升门机



JJ	600	650	700	750	800	850	900	950	1000	1050	1100	1150	1200
----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------

Wittur door operator (E30, EI60,EI120,EI120)
威特防火门



JJ	600	650	700	750	800	850	900	950	1000	1050	1100	1150	1200
----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------

Door operator inverter
门机变频器



Monarch

Panosonic

Eshine

Xizi

Star Passenger Elevator

Star 载客电梯



XR-P01 (标配 Standard)

吊顶: 发纹不锈钢+LED灯
侧壁: 发纹不锈钢
后壁: 发纹不锈钢
扶手: 发纹不锈钢
地板: PVC/大理石

Ceiling: Hairline stainless steel+LED lights
Side wall: Hairline stainless steel
Rear wall: Hairline stainless steel
Handrail: Hairline stainless steel
Floor: PVC/Marble



XR-T01
发纹不锈钢
Hairline stainless steel



XR-T02
镜面不锈钢
Mirror stainless steel




XR-T03
喷涂钢板
Painted steel



XR-T04
安全玻璃
Safety glass



XR-CZ001



XR-D02
XR-F01



XR-WH005



3D display

Star Passenger Elevator

Star 载客电梯



XR-P02 (选配 Optional)

吊顶: 发纹不锈钢+LED灯
侧壁: 发纹不锈钢
后壁: 发纹不锈钢+镜面蚀刻不锈钢
扶手: 发纹不锈钢
地板: PVC/大理石

Ceiling: Hairline stainless steel+LED lights
Side wall: Hairline stainless steel
Rear wall: Hairline stainless steel+mirror etched stainless steel
Handrail: Hairline stainless steel
Floor: PVC/Marble



XR-T01
发纹不锈钢
Hairline stainless steel



XR-T02
镜面不锈钢
Mirror stainless steel




XR-T03A
镜面蚀刻不锈钢
Mirror etched stainless steel



XR-T04
安全玻璃
Safety glass



XR-CZ001



XR-D25
XR-F31



XR-WH005




3D display

Passenger Elevator Cabins
载客电梯轿厢

Star Passenger Elevator

Star 载客电梯




XR-P03 (选配 Optional)

吊顶: 镜面不锈钢+LED灯
侧壁: 镜面蚀刻不锈钢+发纹不锈钢
后壁: 镜面蚀刻不锈钢+发纹不锈钢
扶手: 发纹不锈钢
地板: PVC/大理石

Ceiling: Mirror stainless steel +LED lights
Side wall: Mirror etched stainless steel+Hairline stainless steel
Rear wall: Mirror etched stainless steel+Hairline stainless steel
Handrail: Hairline stainless steel
Floor: PVC/Marble



XR-CZ001



XR-D06
XR-F01



XR-WH005



3D display

Star Passenger Elevator

Star 载客电梯




XR-P04 (选配 Optional)

吊顶: 镜面不锈钢+LED灯
侧壁: 镜面不锈钢+发纹不锈钢
后壁: 镜面蚀刻不锈钢+发纹不锈钢
扶手: 发纹不锈钢
地板: PVC/大理石

Ceiling: Mirror stainless steel + LED lights
Side wall: Mirror stainless steel + Hairline stainless steel
Rear wall: Mirror etched stainless steel + Hairline stainless steel
Handrail: Hairline stainless steel
Floor: PVC/Marble



XR-CZ001



XR-D06
XR-F01



XR-WH005



3D display



XR-T01
发纹不锈钢
Hairline stainless steel



XR-T02
镜面不锈钢
Mirror stainless steel




XR-T03B
镜面蚀刻不锈钢
Mirror etched stainless steel




XR-T04
安全玻璃
Safety glass



XR-T01
发纹不锈钢
Hairline stainless steel



XR-T02
镜面不锈钢
Mirror stainless steel




XR-T25
镜面蚀刻不锈钢
Mirror etched stainless steel



XR-T04
安全玻璃
Safety glass

Star Passenger Elevator

Star 载客电梯



XR-P05

吊顶:钛金镜面不锈钢+LED灯
侧壁:钛金镜面蚀刻不锈钢+钛金不锈钢
后壁:钛金镜面蚀刻不锈钢+钛金不锈钢
扶手:木纹+钛金不锈钢
地板:PVC/大理石

Ceiling: Titanium mirror stainless steel+LED lights
Side wall: Titanium mirror etched stainless steel+Titanium stainless steel
Rear wall: Titanium mirror etched stainless steel+Titanium stainless steel
Handrail: Wood grain+Titanium stainless steel
Floor: PVC/Marble



XR-CZ001A



XR-D26
XR-F32
XR-WH005A



3D display

Star Passenger Elevator

Star 载客电梯



XR-P06

吊顶:钛金镜面不锈钢+LED灯
侧壁:钛金镜面蚀刻不锈钢+钛金不锈钢
后壁:钛金镜面蚀刻不锈钢+钛金不锈钢
扶手:钛金不锈钢
地板:PVC/大理石

Ceiling: Titanium mirror stainless steel + LED lights
Side wall: Titanium mirror etched stainless steel+Titanium stainless steel
Rear wall: Titanium mirror etched stainless steel +Titanium stainless steel
Handrail: Titanium stainless steel
Floor: PVC/Marble



XR-CZ001A




XR-D27
XR-F33
XR-WH005A



3D display



XR-T01
发纹不锈钢
Hairline stainless steel



XR-T02B
钛金镜面不锈钢
Titanium mirror stainless steel




XR-T03C
钛金镜面蚀刻不锈钢
Titanium mirror etched stainless steel



XR-T29
安全玻璃
Safety glass



XR-T01
发纹不锈钢
Hairline stainless steel



XR-T02B
钛金镜面不锈钢
Titanium mirror stainless steel



XR-T03C1
钛金镜面蚀刻不锈钢
Titanium mirror etched stainless steel



XR-T29
安全玻璃
Safety glass

Star Passenger Elevator

Star 载客电梯



XR-P07

吊顶:镜面不锈钢+LED灯
侧壁:玫瑰金镜面蚀刻不锈钢+镜面不锈钢
后壁:玫瑰金镜面蚀刻不锈钢+镜面不锈钢
扶手:玫瑰金镜面不锈钢
地板:PVC/大理石

Ceiling: Mirror stainless steel+LED lights
Side wall: Gold mirror etched stainless steel+Mirror stainless steel
Rear wall: Gold mirror etched stainless steel+Mirror stainless steel
Handrail: Rose gold mirror stainless steel
Floor: PVC/Marble



XR-CZ001B



XR-D04
XR-F34



XR-WH005B



3D display

Star Passenger Elevator

Star 载客电梯



XR-P08

吊顶:玫瑰金镜面不锈钢+LED灯
侧壁:玫瑰金镜面蚀刻不锈钢+玫瑰金不锈钢
后壁:玫瑰金镜面蚀刻不锈钢+玫瑰金不锈钢
扶手:木纹+玫瑰金不锈钢
地板:PVC/大理石

Ceiling: Rose gold mirror stainless steel+LED lights
Side wall: Rose gold mirror stainless steel+Rose gold stainless steel
Rear wall: Rose gold mirror etched stainless steel+Mirror stainless steel
Handrail: Wood grain+Rose gold stainless steel
Floor: PVC/Marble



XR-CZ001B



XR-D28
XR-F35




XR-WH005B



3D display



XR-T01
发纹不锈钢
Hairline stainless steel



XR-T02C
玫瑰金镜面不锈钢
Rose gold mirror stainless steel




XR-T03D
玫瑰金镜面蚀刻不锈钢
Rose gold mirror etched stainless steel



XR-T29
安全玻璃
Safety glass



XR-T01
发纹不锈钢
Hairline stainless steel



XR-T02C
玫瑰金镜面不锈钢
Rose Gold Mirror Stainless Steel



XR-T03E
玫瑰金镜面蚀刻不锈钢
Rose Gold Mirror Etched Stainless Steel



XR-T04B
安全玻璃
Safety glass

Star Passenger Elevator

Star 载客电梯




XR-P09

吊顶: 镜面不锈钢+LED灯
侧壁: 镜面不锈钢+木纹钢板
后壁: 镜面蚀刻不锈钢+木纹钢板
扶手: 镜面不锈钢
地板: PVC/大理石

(选配 Optional)



XR-CZ001B



XR-WH005B



3D display

Star Passenger Elevator

Star 载客电梯



XR-P10

吊顶: 镜面不锈钢+LED灯
侧壁: 实木+镜面不锈钢
后壁: 实木+镜面不锈钢
扶手: 钛金不锈钢
地板: PVC/大理石

(选配 Optional)



XR-CZ001A



XR-WH005A



3D display



XR-T01
发纹不锈钢
Hairline stainless steel



XR-T02
镜面不锈钢
Mirror stainless steel



XR-T03B2
红木纹不锈钢
Rose gold mirror etched stainless steel




XR-T04B
安全玻璃
Safety glass



XR-T01
发纹不锈钢
Hairline stainless steel



XR-T02
镜面不锈钢
Mirror stainless steel



XR-T02B
钛金镜面不锈钢
Titanium Mirror stainless steel



XR-T29
安全玻璃
Safety glass

More Car Style

更多轿厢款式

Sightseeing style

观光型风格



XR-P35

吊顶: 镜面不锈钢
侧壁: 镜面不锈钢+木纹钢板
后壁: 木纹钢板
扶手: 镜面不锈钢
地板: PVC/大理石


Ceiling: Mirror stainless steel
Side wall: Mirror stainless steel + Wood grain steel plate
Rear wall: Wood grain steel plate
Handrail: Mirror stainless steel
Floor: PVC/Marble



XR-P36

吊顶: 镜面不锈钢
侧壁: 木纹钢板+发纹不锈钢
后壁: 木纹钢板+发纹不锈钢
扶手: 镜面不锈钢
地板: PVC/大理石

Ceiling: Mirror stainless steel
Side wall: Wood grain steel plate + Hairline stainless steel
Rear wall: Wood grain steel plate + Hairline stainless steel
Handrail: Mirror stainless steel
Floor: PVC/Marble



XR-J01

吊顶: 镜面不锈钢
侧壁: 发纹不锈钢
后壁: 安全夹胶玻璃+发纹不锈钢边框
扶手: 镜面不锈钢
地板: PVC/大理石

Ceiling: Mirror stainless steel
Side wall: Hairline stainless steel
Rear wall: Safety laminated glass + Hairline stainless steel frame
Handrail: Mirror stainless steel
Floor: PVC/Marble



XR-J02

吊顶: 镜面不锈钢
侧壁: 安全夹胶玻璃+发纹不锈钢边框
后壁: 安全夹胶玻璃+发纹不锈钢边框
扶手: 发纹不锈钢
地板: PVC/大理石

Ceiling: Mirror stainless steel
Side wall: Safety laminated glass + Hairline stainless steel frame
Rear wall: Safety laminated glass + Hairline stainless steel frame
Handrail: Hairline stainless steel
Floor: PVC/Marble



XR-P37

吊顶: 木纹
侧壁: 实木
后壁: 实木+镜面蚀刻不锈钢
扶手: 钛金镜面不锈钢
地板: PVC/大理石

Ceiling: Wood grain plate
Side wall: Solid wood
Rear wall: Solid wood + Mirror etched stainless steel
Handrail: Titanium mirror stainless steel
Floor: PVC/Marble



XR-P38

吊顶: 钛金镜面不锈钢
侧壁: 实木+钛金镜面不锈钢
后壁: 钛金镜面蚀刻不锈钢
扶手: 钛金镜面不锈钢
地板: PVC/大理石

Ceiling: Titanium mirror stainless steel
Side wall: Solid wood+Titanium mirror stainless steel
Rear wall: Titanium mirror etched stainless steel
Handrail: Titanium mirror stainless steel
Floor: PVC/Marble



XR-J03

吊顶: 镜面不锈钢
左侧壁: 镜面不锈钢+木纹钢板
右侧壁: 安全夹胶玻璃+发纹不锈钢边框
后壁: 安全夹胶玻璃+发纹不锈钢边框
扶手: 发纹不锈钢
地板: PVC/大理石

Ceiling: Mirror stainless steel
Left side wall: Mirror stainless steel+Wood grain steel plate
Right side wall: Safety laminated glass+Hairline stainless steel frame
Rear wall: Safety laminated glass+Hairline stainless steel frame
Handrail: Hairline stainless steel
Floor: PVC/Marble



XR-J04

吊顶: 镜面不锈钢
侧壁: 木纹钢板+镜面不锈钢
后壁: 安全夹胶玻璃+发纹不锈钢边框
扶手: 发纹不锈钢
地板: PVC/大理石

Ceiling: Mirror stainless steel
Side wall: Wood grain steel plate + Mirror stainless steel
Rear wall: Safety laminated glass+ Hairline stainless steel frame
Handrail: Hairline stainless steel
Floor: PVC/Marble



XR-P39

吊顶: 钛金镜面不锈钢
侧壁: 木纹钢板
后壁: 镜面蚀刻不锈钢+木纹钢板
扶手: 镜面不锈钢
地板: PVC/大理石

Ceiling: Titanium mirror stainless steel
Side wall: Wood grain steel plate
Rear wall: Mirror etched stainless steel+Wood grain steel plate
Handrail: Mirror stainless steel
Floor: PVC/Marble



XR-P40

吊顶: 镜面不锈钢
侧壁: 镜面不锈钢+玫瑰金蚀刻不锈钢
后壁: 镜面不锈钢+玫瑰金蚀刻不锈钢
扶手: 玫瑰金不锈钢
地板: PVC/大理石

Ceiling: Mirror stainless steel
Side wall: Mirror stainless steel + rose gold etched stainless steel
Rear wall: Mirror stainless steel + rose gold etched stainless steel
Handrail: Rose gold stainless steel
Floor: PVC/Marble



XR-J05

吊顶: 镜面不锈钢
侧壁: 安全夹胶玻璃+发纹不锈钢边框
后壁: 安全夹胶玻璃+发纹不锈钢边框
扶手: 镜面不锈钢
地板: PVC/大理石

Ceiling: Mirror stainless steel
Side wall: Safety laminated glass+Hairline stainless steel frame
Rear wall: Safety laminated glass+Hairline stainless steel frame
Handrail: Mirror stainless steel
Floor: PVC/Marble



XR-J06

吊顶: 镜面不锈钢
侧壁: 安全夹胶玻璃+发纹不锈钢边框
后壁: 安全夹胶玻璃+发纹不锈钢边框
扶手: 发纹不锈钢
地板: PVC/大理石

Ceiling: Mirror stainless steel
Side wall: Safety laminated glass + Hairline stainless steel frame
Rear wall: Safety laminated glass + Hairline stainless steel frame
Handrail: Hairline stainless steel
Floor: PVC/Marble

Home Elevator

家用电梯



STAR家用电梯始终坚持品质至上,秉持匠人精神,为客户提供随性、舒适、安全生活方式的全新体验,得到了开发商和业主的肯定和认可。我们承诺致力于为客户提供具有竞争力和高品质的产品、服务和解决方案,并在创造技术上不断努力。从产品开发到生产制造,从销售服务到售后服务,力求完美,只为满足您的要求。

准备好给您的家再添一道亮丽的风景线了吗?来吧,选择STAR家用电梯,瞬间提高您的居家生活品质。

Your life. Your style. Your statement. With home elevator solutions from STAR elevator Group. Access, you can bring your ideal vision to life. We set the industry standard with a variety of one-of-a-kind looks and unique features with universal design. Ready to give your home a look that rises above the rest? Then it's time for a residential elevator that can help take you to the next level. We provide customers with residential elevators that help make day-to-day living better. Every home elevator has an innovative design to create the ultimate experience. Not only do we ensure every residential elevator undergoes rigorous testing, but every elevator is available with a variety of customizable features. It's time for an elevator from STAR elevator Group.

Classic wood style

经典木纹风格



XR-J13

吊顶:实木+玻璃吊灯
侧壁:实木
后壁:实木+玻璃装饰框
扶手:钛金不锈钢
地板:PVC/大理石

Ceiling: Solid wood+Glass ceiling lamp
Side wall: Solid wood
Rear wall: Solid wood+Glass decorative frame
Handrail: Titanium stainless steel
Floor: PVC/Marble



XR-J14

吊顶:实木
侧壁:实木
后壁:实木+镜面不锈钢
扶手:镜面不锈钢
地板:PVC/大理石

Ceiling: Solid wood
Side wall: Solid wood
Rear wall: Solid wood+Mirror stainless steel
Handrail: Mirror stainless steel
Floor: PVC/Marble



XR-J15

吊顶:实木+玻璃吊灯
侧壁:实木
后壁:实木
扶手:玫瑰金不锈钢
地板:PVC/大理石

Ceiling: Solid wood+Glass ceiling lamp
Side wall: Solid wood
Rear wall: Solid wood
Handrail: Rose gold stainless steel
Floor: PVC/Marble



XR-J16

吊顶:镜面不锈钢
侧壁:实木+钛金镜面蚀刻不锈钢
后壁:实木+钛金镜面蚀刻不锈钢
扶手:钛金镜面不锈钢
地板:PVC/大理石

Ceiling: Mirror stainless steel
Side wall: Solid wood+Titanium mirror etched stainless steel
Rear wall: Solid wood+Titanium mirror etched stainless steel
Handrail: Titanium mirror stainless steel
Floor: PVC/Marble



XR-J17

吊顶:镜面不锈钢
侧壁:木纹钢板
后壁:木纹钢板+镜面不锈钢
扶手:钛金镜面不锈钢
地板:PVC/大理石

Ceiling: Mirror stainless steel
Side wall: Wood grain steel plate
Rear wall: Wood grain steel plate+Mirror stainless steel
Handrail: Titanium mirror stainless steel
Floor: PVC/Marble




XR-J18

吊顶:LED+实木+木纹钢板
侧壁:木纹钢板+饰条
后壁:木纹钢板+镜面不锈钢+饰条
地板:PVC/大理石

Ceiling: LED+Wood+ Wood grain steel
Side wall: Wood grain steel + Line
Rear wall: Wood grain steel + Mirror stainless steel + Line
Floor: PVC/Marble

Panoramic Elevator (Semicircle Type)

观光电梯(半圆形)



XR-G01 (标配 Standard)

上下罩:钢板烤漆
观光壁:安全夹胶玻璃
装饰顶:XR-D19
轿壁:发纹不锈钢
扶手:不锈钢双管
地板:PVC/大理石

Car cover: Steel plate baking finish
Observation wall: Safety Laminated Glass
Decoration roof: XR-D19
Car wall: Hairline stainless steel
Handrail: Stainless steel pair tube
Floor: PVC/Marble



XR-D17

中部是影像拱顶,两侧为不锈钢底板上辅以筒灯的柔光照明设计。
Central image arch, stainless steel base plate is supplemented with soft lighting design of down lamp at both sides.



XR-HG04

不锈钢双联圆管扶手
Pair stainless steel tube for handrail



XR-F25



XR-G02

上下罩:发纹不锈钢
观光壁:安全夹胶玻璃三块
装饰顶:XR-D42C
轿壁:发纹板、镜面、蚀刻、钛金
扶手:不锈钢单管
地板:PVC/大理石

Car Cover:Hairline Stainless Steel
Observation:3PCS of safety laminated glass
Decoration Roof:XR-D42C
Car Wall:Hairline, Mirror, Etched, Titanium
Handrail:Stainless steel single tube
Floor:PVC/Marble



XR-G04

上下罩:镜面不锈钢
观光壁:安全夹胶玻璃三块
装饰顶:XR-D43
轿壁:镜面不锈钢
扶手:镜面不锈钢单管
地板:PVC/大理石

Car Cover:Mirror stainless steel
Observation:3PCS of safety laminated glass
Decoration Roof:XR-D43
Car Wall:Mirror stainless steel
Handrail:Mirror stainless steel single tube
Floor:PVC/Marble



XR-G06

上下罩:钢板喷涂加亚克力球罩
观光壁:安全夹胶玻璃三块
装饰顶:XR-D21
轿壁:不锈钢发纹板
扶手:不锈钢双管
地板:PVC/大理石

Car Cover:Steel plate spraying and acrylic dome cover
Observation:3PCS of safety laminated glass
Decoration Roof:XR-D21
Car Wall:Stainless Steel Hairline Plate
Handrail:Stainless steel double tube
Floor:PVC/Marble



XR-G03

上下罩:钢板烤漆加不锈钢围板及装饰灯
观光壁:安全夹胶玻璃三块
装饰顶:XR-D23
轿壁:发纹板、蚀刻
扶手:不锈钢单管
地板:PVC/大理石

Car Cover:Steel plate baking paint plus stainless steel hoarding and decorative lights
Observation:3PCS of safety laminated glass
Decoration Roof:XR-D23
Car Wall:Hairline, Etching
Handrail:Stainless steel single tube
Floor:PVC/Marble



XR-G05

上下罩:钢板喷漆加装饰灯
观光壁:安全夹胶玻璃三块
装饰顶:XR-D22
轿壁:发纹板、蚀刻
扶手:不锈钢单管
地板:PVC/大理石

Car Cover:Steel plate spray paint and decorative lights
Observation:3PCS of safety laminated glass
Decoration Roof:XR-D22
Car Wall:Hairline, Etching
Handrail:Stainless steel single tube
Floor:PVC/Marble



XR-G07

上下罩:钢板喷涂
观光壁:安全夹胶玻璃三块
装饰顶:XR-D42B
轿壁:不锈钢发纹板
扶手:不锈钢双管
地板:PVC/大理石

Car Cover:Steel plate spraying
Observation:3PCS of safety laminated glass
Decoration Roof:XR-D42B
Car Wall:Stainless Steel Hairline Plate
Handrail:Stainless steel double tube
Floor:PVC/Marble

Panoramic Elevator (Square Type)

观光电梯 (方形)



XR-G12 (标配 Standard)

上下罩: 钢板烤漆, 配亚克力灯饰
观光壁: 方形, 安全夹胶玻璃
装饰顶: XR-D14
轿壁: 发纹不锈钢
扶手: 不锈钢单管
地板: PVC/大理石

Car cover: Painted steel plate, acrylic lighting decoration
Observation wall: Square, Glue glass of safety clamp
Decoration roof: XR-D14
Car wall: Hairline stainless steel
Handrail: Stainless steel tube
Floor: PVC/Marble



XR-D14

在镜面不锈钢底板上辅以金色筒灯与轿壁辉映, 中间部分是拱形白色透光板的柔光照明设计。
Stainless steel mirror base plate is supplemented with golden down lamp and car wall. Central part consists of soft lighting design of arched white light-emitting panel.



XR-H01

不锈钢管亚光短纹
Matte short-grain stainless steel pipe



XR-F18



XR-G08

上下罩: 钢板喷涂加装饰灯
观光壁: 安全夹胶玻璃
装饰顶: XR-D14
轿壁: 发纹板
扶手: 不锈钢单管
地板: PVC/大理石

Car Cover: Steel plate spraying and decorative lights
Observation: Safety Laminated Glass
Decoration Roof: XR-D14
Car Wall: Hairline board
Handrail: Stainless steel single tube
Floor: PVC/Marble



XR-G09

上下罩: 钢板喷涂加装饰灯
观光壁: 安全夹胶玻璃
装饰顶: XR-D14
轿壁: 发纹板
扶手: 不锈钢单管
地板: PVC/大理石

Car Cover: Steel plate spraying and decorative lights
Observation: Safety Laminated Glass
Decoration Roof: XR-D14
Car Wall: Hairline board
Handrail: Stainless steel single tube
Floor: PVC/Marble



XR-G10

上下罩: 阶梯五边形钢板烤漆加装饰灯
观光壁: 安全夹胶玻璃
装饰顶: 中部圆形亚克力顶灯, 筒灯
轿壁: 不锈钢发纹板
扶手: 不锈钢单管
地板: PVC/大理石

Car Cover: Ladder pentagon steel plate with paint and decorative lights
Observation: Safety laminated glass
Decoration Roof: Central round acrylic ceiling light, down light
Car Wall: Stainless Steel Hairline Plate
Handrail: Stainless steel single tube
Floor: PVC/Marble



XR-G11

上下罩: 钢板喷涂
观光壁: 安全夹胶玻璃
装饰顶: 多层反光板和不锈钢镂空板
轿壁: 安全夹胶玻璃
扶手: 不锈钢单管
地板: PVC/大理石

Car Cover: Steel plate spraying
Observation: Safety laminated glass
Decoration Roof: Multilayer reflector and stainless steel cutout
Car Wall: Safety laminated glass
Handrail: Stainless steel single tube
Floor: PVC/Marble



XR-G13

上下罩: 钢板喷涂加装饰灯
观光壁: 安全夹胶玻璃
装饰顶: 亚克力拱形顶板, 筒灯
轿壁: 发纹板
扶手: 不锈钢单管
地板: PVC/大理石

Car Cover: Steel plate spraying and decorative lights
Observation: Safety laminated glass
Decoration Roof: Acrylic domed top plate, downlight
Car Wall: Hairline stainless steel
Handrail: Stainless steel single tube
Floor: PVC/Marble



XR-G14

上下罩: 钢板烤漆, 聚光灯
观光壁: 6+6安全夹胶玻璃三块
装饰顶: 钢板烤漆, 亚克力拱形顶板, 筒灯
轿壁: 发纹不锈钢
扶手: 不锈钢三管
地板: PVC/大理石

Car Cover: Painted steel sheet, spotlight
Observation: 6+6 safety laminated glass three pieces
Decoration Roof: Painted steel plate, acrylic arched top plate, downlight
Car Wall: Hairline stainless steel
Handrail: Stainless steel three tubes
Floor: PVC/Marble

STAR FREIGHT ELEVATOR

STAR 载货电梯

Side opening




XR-FE01 (standard 标配)

Car top: Painted steel
Ventilation: Circular fan
Car walls: Painted steel
Car door: Painted steel
Car floor: Chequered plate steel
Sill: Iron

轿 顶: 喷塑钢板
通 风: 圆形风扇
轿 壁: 喷塑钢板
轿 门: 喷塑钢板
地 板: 花纹钢板
地 坎: 铁

Side opening (This is for reference only.)
旁开式(仅供参考, 以实物为准)

4-panels center opening



XR-FE03 (选配 optional)

Car top: Painted steel
Ventilation: Circular fan
Car walls: Painted steel
Car door: Painted steel
Car floor: Chequered plate steel
Sill: Iron

轿 顶: 喷塑钢板
通 风: 圆形风扇
轿 壁: 喷塑钢板
轿 门: 喷塑钢板
地 板: 花纹钢板
地 坎: 铁

2-panels center opening



XR-FE02 (standard 标配)

Car top: Painted steel
Ventilation: Circular fan
Car walls: Painted steel
Car door: Painted steel
Car floor: Chequered plate steel
Sill: Iron


轿 顶: 喷塑钢板
通 风: 圆形风扇
轿 壁: 喷塑钢板
轿 门: 喷塑钢板
地 板: 花纹钢板
地 坎: 铁

XR-FE04 (选配 optional)

Car top: Hairline stainless steel
Ventilation: From car roof
Car walls: Hairline stainless steel
Car door: Hairline stainless steel
Car floor: Chequered plate steel
Sill: Iron

轿 顶: 发纹不锈钢
通 风: 轿顶通风
轿 壁: 发纹不锈钢
轿 门: 发纹不锈钢
地 板: 花纹钢板
地 坎: 铁

All hairline stainless steel finished



Door Panel Finishes (Mirror/Hairline Etching Stainless Steel)

门板花纹 (镜面/发纹蚀刻不锈钢)



XR-T05
蚀刻不锈钢
Etched Stainless Steel



XR-T06
蚀刻不锈钢
Etched Stainless Steel



XR-T07
蚀刻不锈钢
Etched Stainless Steel



XR-T08
蚀刻不锈钢
Etched Stainless Steel



XR-T17
蚀刻不锈钢
Etched Stainless Steel



XR-T18
蚀刻不锈钢
Etched Stainless Steel



XR-T19
蚀刻不锈钢
Etched Stainless Steel



XR-T20
蚀刻不锈钢
Etched Stainless Steel



XR-T09
蚀刻不锈钢
Etched Stainless Steel



XR-T10
蚀刻不锈钢
Etched Stainless Steel



XR-T11
蚀刻不锈钢
Etched Stainless Steel



XR-T12
蚀刻不锈钢
Etched Stainless Steel



XR-T21
蚀刻不锈钢
Etched Stainless Steel



XR-T22
蚀刻不锈钢
Etched Stainless Steel



XR-T23
蚀刻不锈钢
Etched Stainless Steel



XR-T24
蚀刻不锈钢
Etched Stainless Steel



XR-T13
蚀刻不锈钢
Etched Stainless Steel



XR-T14
蚀刻不锈钢
Etched Stainless Steel



XR-T15
蚀刻不锈钢
Etched Stainless Steel



XR-T16
蚀刻不锈钢
Etched Stainless Steel



XR-T25
蚀刻不锈钢
Etched Stainless Steel



XR-T26
蚀刻不锈钢
Etched Stainless Steel



XR-T27
蚀刻不锈钢
Etched Stainless Steel



XR-T28
蚀刻不锈钢
Etched Stainless Steel

Door Panels
门板

Door Panel Finishes (Gold Etching Stainless Steel)

门板花纹 (金色蚀刻不锈钢)



XR-T29
安全夹胶玻璃+发纹不锈钢边框
Safety laminated glass + hairline stainless steel frame

XR-T30
金色蚀刻不锈钢
Gold Etched Stainless Steel

XR-T31
金色蚀刻不锈钢
Gold Etched Stainless Steel

XR-T32
金色镜面蚀刻不锈钢
Gold Mirror Etched Stainless Steel



XR-T33
金色镜面蚀刻不锈钢
Gold Mirror Etched Stainless Steel

XR-T34
金色镜面蚀刻不锈钢
Gold Mirror Etched Stainless Steel

XR-T35
金色镜面蚀刻不锈钢
Gold Mirror Etched Stainless Steel

XR-T36
金色镜面蚀刻不锈钢
Gold Mirror Etched Stainless Steel

Door Panel Finishes (Glass)

门板花纹 (玻璃)



XR-T45
安全夹胶玻璃+发纹不锈钢边框
Safety laminated glass + Hairline stainless steel frame

XR-T46
安全夹胶玻璃
Safety laminated glass

XR-T47
安全夹胶玻璃+发纹不锈钢边框(手动门)
Safety laminated glass + Hairline stainless steel frame (Manual door)

XR-T48
安全夹胶玻璃+发纹不锈钢边框
Safety laminated glass + Hairline stainless steel frame

Door Panel Finishes (Rose Gold Etching Stainless Steel)

门板花纹 (玫瑰金蚀刻不锈钢)



XR-T37
玫瑰金镜面蚀刻不锈钢
Rose Gold Mirror Etched Stainless Steel

XR-T38
玫瑰金镜面蚀刻不锈钢
Rose Gold Mirror Etched Stainless Steel

XR-T39
玫瑰金镜面蚀刻不锈钢
Rose Gold Mirror Etched Stainless Steel

XR-T40
玫瑰金镜面蚀刻不锈钢
Rose Gold Mirror Etched Stainless Steel



XR-T41
玫瑰金镜面蚀刻不锈钢
Rose Gold Mirror Etched Stainless Steel


XR-T42
玫瑰金镜面蚀刻不锈钢
Rose Gold Mirror Etched Stainless Steel

XR-T43
玫瑰金镜面蚀刻不锈钢
Rose Gold Mirror Etched Stainless Steel

XR-T44
玫瑰金镜面蚀刻不锈钢
Rose Gold Mirror Etched Stainless Steel

Door Panel Finishes (Painted Steel)

门板花纹 (喷涂钢板)



Car Opertaion Panels (C.O.P)

轿厢操纵箱 (操作面板)

More Fashionable C.O.P & H.O.P Options

更多时尚操纵箱和外呼



XR-CZ001
一体式 (Integrated Type)

XR-CZ002
(选配 Optional)

XR-CZ003
(选配 Optional)

XR-CZ004
(选配 Optional)



XR-CZ008 XR-WH023

XR-CZ009 XR-WH024


C.O.P and H.O.P for Home Elevator

家用电梯操纵箱和外呼



Touch Screen C.O.P for Home Elevator

家用电梯触摸屏操纵箱



More Display Types

更多的显示类型

点阵显示器

Dot matrix display



Red on black,
single display
黑底红字, 单显



White on black,
single display
黑底白字, 单显



Yellow on black,
single display
黑底黄字, 单显

段码显示器

Segment display



White on blue
蓝底白字



White on black
黑底白字



Yellow on black
黑底黄字

液晶显示器(竖显)

Liquid crystal display (Vertical display)



7 inch



8 inch



10.1 inch



10.4 inch



12.1 inch

液晶显示器(横显)

Liquid crystal display (Transverse display)



7 inch



8 inch



10.1 inch



10.4 inch



12.1 inch

按钮背景光

Button background light



White
白色



Yellow
黄色



Red
红色



Green
绿色

Hall Operation Panels (H.O.P)With bottom box

有底盒外呼



XR-WH001



XR-WH002



XR-WH003



XR-WH004

Hall Operation Panels (Duplex)

厅门呼叫面板(并联外呼)



XR-WH017



XR-WH018



XR-WH019



XR-WH020



XR-WH021

Hall Operation Panels (H.O.P)Without bottom box

无底盒外呼



XR-WH005



XR-WH006



XR-WH007



XR-WH008



XR-WH009



XR-WH010

Transom Display Panels

横梁显示



XR-MM01



XR-MM02



XR-MM03




XR-MM04



XR-MM05

C.O.P for Disabled Persons


残疾人操纵箱



XR-CJ01



XR-CJ02



XR-CJ03


Arrival Lights

到站灯



Different Types of Wide Jamb

更多类型的大门套



Handrails

扶手



XR-H01
单管镜面
Single tube mirror



XR-H02
单管永大款
Single tube forever



XR-H11
扁钢发纹
Flat steel hairline



XR-H12
扁钢镜面
Flat steel mirror



XR-H03
弯管镜面
Curved tube mirror



XR-H04
弯管扶手
Bent pipe



XR-H13
扁钢玫瑰金
Flat steel rose gold



XR-H14
扁钢蚀刻
Flat steel etching



XR-H05
单管钛金
Single tube titanium



XR-H06
钛金木纹
Titanium wood grain



XR-H15
方管喷砂
Square tube sandblasting



XR-H16
方木扶手
Square wood handrail



XR-H07
红木扶手
Redwood handrail



XR-H08
钛金红木
Titanium rosewood



XR-H17
亚克力管
Acrylic tube



XR-H18
亚克力扁
Acrylic flat



XR-H09
真皮扶手
Leather armrest



XR-H10
钛金红木
Titanium rosewood



XR-H19
亚克力钛金
Acrylic titanium



XR-H20
定制子弹头
Custom bullets

Handrails
扶手

Handrails

扶手



XR-H21
榉木玫瑰金
Elm rose gold



XR-H23
玉石扶手
Jade handrail



XR-H25
玉石玫瑰金
Jade rose gold



XR-H27
双管镜面
Double tube mirror



XR-H29
双管钛金
Double tube titanium



XR-H22
玉石钛金
Jade titanium



XR-H24
扁钢嵌玉石
Flat steel inlaid jade



XR-H26
玉石扶手
Jade handrail



XR-H28
三管扶手
Three-tube handrail




XR-H30
三管钛金
Three-tube titanium

Handrails For Panoramic Elevator

观光电梯扶手

本公司根据不同轿厢装饰之特点, 设计了不锈钢圆管、椭圆管、方管、钛金管、木质、不锈钢发纹板、有机柱等不同材质, 不同式样的扶手十余款, 造型优美、尺寸齐全, 用户在购买轿厢装饰时可根据个人喜好自由选配。

We design different kinds of handrails with different materials, like stainless steel round pipe, ellipse pipe, titanium gold pipe, square pipe, wooden pipe, hairline pipe, you can select one which you prefer.



XR-HG01
不锈钢圆管造型扶手
Stainless steel tube model handrail



XR-HG02
不锈钢圆管造型扶手
Stainless steel tube model handrail



XR-HG03
不锈钢圆管造型扶手
Stainless steel tube model handrail



XR-HG04
不锈钢双联圆管扶手
Pair Stainless steel tube for handrail



XR-HG05
不锈钢圆管造型扶手
Stainless steel tube model handrail



XR-HG06
不锈钢三联圆管扶手
Triple stainless steel tube for handrail


Ceilings
吊顶



XR-D01




XR-D02




XR-D03



XR-D13



XR-D14




XR-D15



XR-D04




XR-D05



XR-D06




XR-D16




XR-D17



XR-D18



XR-D07



XR-D08



XR-D09



XR-D19



XR-D20



XR-D21



XR-D10




XR-D11



XR-D12



XR-D22



XR-D23



XR-D24

Ceilings
吊顶

STAR elevator Group

Floors (PVC/Marble)


地板 (PVC/大理石)



XR-F01




XR-F02




XR-F03



XR-F16



XR-F17




XR-F18



XR-F04



XR-F05



XR-F06



XR-F19




XR-F20




XR-F21



XR-F07



XR-F08



XR-F09



XR-F22



XR-F23




XR-F24



XR-F10



XR-F11



XR-F12



XR-F25



XR-F26



XR-F27



XR-F13



XR-F14



XR-F15



XR-F28



XR-F29



XR-F30

Other Parts

其他部件



光幕
Light curtain



平层感应
Leveling sensor



电阻
Resistor



接触器
Contactor




补偿链
Balance chain




横流风扇
Fan




门滑块
Door slider



对重块
Counterweight piece



轿厢导轨
Car guide rail



对重导轨
C.W.T guide rail



相序继电器
Phase relay



主机编码器
Motor encoder




导向轮
Guide pulley



层门开关
Landing door switch



绳头组合器
Rope fastening



随行电缆
Travel cable



导靴和靴衬
Guide shoe and busher



限位开关
Limit switch



限速开关
Overspeed governor switch



内部通话装置
Intercom system



三角锁、三角钥匙
Triangle lock and key



油杯
Oil cup



电梯锁
Elevator lock


STAR SPECIAL ADVANTEGES IN ELEVATOR DESIGN

我们的电梯设计优势

We can give different kinds of elevator solution designs for your building, even for some complicated shaft conditions.

我们可以为你的建筑物设计出各种不同的电梯解决方案，甚至在复杂的井道条件下。

Elevator with multi door openings



1. With 1:1 roping and double counterweight arranged in opposite corners of the shaft, it maximizes shaft utilization to design opening in 4 sides.

采用双对重1:1绕法将对重分布于井道对角，开门机与轿厢之间。最大限度利用井道空间，从而实现四面开门；

2. Guide rails fixed without brackets, more convenient for installation.

轿厢导轨采用无支架安装，使得安装更加方便，让电梯整体看起来更加美观；

3. Cross beams for car top frame, and car bottom with brace structure, can solve partial load strength problem from 4sides opening and car.

轿厢架十字梁，轿厢底带斜撑结构，解决四面开门及轿厢偏载强度问题；


4. Speed governor without tension wheel, it' s available for narrow shafts.

采用无涨紧轮结构限速器，解决了井道狭窄问题；

5. Independent HOP control for 4 sides, intelligent and efficient.

外呼独立控制，使得使用起来更加智能和高效。

Elevator with small shaft design



Traction machine lay on motor beam (standard style)

Traction machine insert between motor beam (new design style)
Reduce overall machine beam height, reduce overhead height about 220mm

Iron stone CW, Width=180mm


Steel plate CW cut by laser, Width=110mm

Car width increase 70mm by steel plate CW

Standard guide rail distance=car net width+180mm

New guide rail distance=car net width+100mm

Car width increase 80mm by new design portal frame



Passenger elevator (with machine room)

Specifications:	Standard solution size	New solution size:
Load (kg)	450	450
Shaft size (mm)	1600W*1600D	1600W*1600D
Car net size (mm)	1050W*1000D	1100W*1200D
Door size (mm)	700W*2100H	900W*2100H
Door opening	Central opening	Side opening


Passenger elevator (without machine room)

Specifications:	Standard solution size:	New solution size:
Load (kg)	1000	1000
Shaft size (mm)	1900W*2500D	1600W*2500D
Car net size (mm)	1100W*2100D	1100W*2100D
Door size (mm)	900W*2100H	900W*2100H
Door opening	Side opening	Side opening

Advantages 优势


1. Lower pit depth and overhead;
更小的地坑深度和顶层高度；
2. Same shaft size, bigger car size, same car size, smaller shaft size required.
同样的井道尺寸，可以设计更大的轿厢；同样的轿厢尺寸，只需要更小的井道；
3. Indeed improve the utilization of shaft space and reduce the construction cost.
切实地提高了井道空间的利用率，而且减少了建筑成本。

Special design without counterweight



Home elevator (without counterweight)

Load(kg)	250	320
Shaft(mm)	1100(W)*1000(D)	1200(W)*1100(D)
Overhead(mm)	3800	3800
Pit(mm)	200	200
Travel height(mm)	≤12m	≤12m
Car size(mm)	860(W)*900(D)*2150(H)	960(W)*1000(D)*2150(H)
Manual door size(mm)	700(W)*2000(D)	800(W)*2000(D)



Home elevator (without counterweight)

Load(kg)	400	500
Shaft(mm)	1300(W)*1200(D)	1400(W)*1300(D)
Overhead(mm)	3800	3800
Pit(mm)	200	200
Travel height(mm)	≤12m	≤12m
Car size(mm)	1060(W)*1100(D)*2150(H)	1160(W)*1200(D)*2150(H)
Manual door size(mm)	900(W)*2000(D)	900(W)*2000(D)

Advantages 优势

1. Use forced synchronous drive roller traction machine without counterweight—Save much space. 采用无需对重的强制同步驱动曳引机，可节省大量空间；
2. Integral design of bottom beams and car bottom---Small pit required. 下梁和轿底的一体式设计，极大缩小了底坑高度；
3. Manual opening of landing door---Maximize the door opening. 手动开门，最大限度地保证了开门尺寸；
4. Without car door but with light curtain protection---Safe and cost less. 无轿门，却依然有光幕保护。在减少成本的同时，保证了安全性。

STAR SPECIAL ADVANTEGES IN ELEVATOR DESIGN

我们的特殊优势

1. Quality guarantee: 18months after shipment, not more than 20months since production date (considering the payment delay etc.)

品质保证：发货后18个月，但最长不超过生产开始后20个月(考虑到货款延迟等因素)；



Most of elevator companies



STAR elevator group

2. Quality control: We have triple-check quality control management. Before production, all departments check and confirm the ordered products specification information 100% same as client required; After production, quality control department checks all finished and purchased parts according to the confirmed specifications, and assembles the cabin to check all fixing details; Before delivery, our electrical department makes test control cabinet and motor tune. Our delivery department rechecks all parts according to the packing list details.

品质控制：我们有三重品控管理。生产前，所有的部门都要检查和确认下单产品的规格信息，必须100%符合客户要求；生产后，品控部门会根据已经确定的规格信息来检查所有完成的和采购来的部件，还会组装轿厢以检查安装细节；发货前，我们的电气部门会做控制柜的测试和主机调谐。我们的发货部门会根据详细发货清单再次检查所有部件。



3. Package: We pack elevator parts Wooden case with iron clasp, this is the best package solution.

包装：我们的包装是铁皮卡扣的，是目前最坚固的包装方式（配图文）；



4. Installation: We have many professional installation and maintenance partners in different countries, and we can also arrange our engineers to install elevator and escalator on your sites;

安装：大多数国家我们都有合作的专业的电梯安装队伍，我们也可以安排我们的工程师直接去现场为您安装电梯和扶梯；



5. Aftersales service: We have a long-time and regular aftersales service system both in maintenance solution and spare parts provision. We have regular on-site inspection plan for all installed elevators by our agents or by our engineers timely, to ensure the elevator and escalator running with stable performance all the time.

售后服务：我们制定了长期的有规律的售后服务体系，包括维保解决方案和备件的供应。我们也将安排代理或者我们总部的工程师有规律有计划地对所有安装好的电梯适时地进行实地检验，以确保我们的电梯和自动扶梯一直保持稳定的性能。

